

Patient Name	: Mr.Dummy	Collected	: 08/Jul/2026 10:14AM
Age/Gender	: 42 Y 0 M 0 D /F	Received	: 08/Jul/2026 10:14AM
UHID/MR No	: Dummy.0000000	Reported	: 08/Jul/2026 10:31AM
Visit ID	: Dummy101	Status	: Final Report
Ref Doctor	: Dr.SELF	Client Name	: NRL HYDERABAD LAB
IP/OP NO	: 00/General	Patient location	: Dummy Location

DEPARTMENT OF BIOCHEMISTRY

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE, POST PRANDIAL (PP), 2 HOURS , SODIUM FLUORIDE PLASMA (2 HR)	118	mg/dL	70 - 140	GOD - POD

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each other.

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

***** End Of Report *****

